Diagnostic Safety Improvement

Curated Library

Foundations

[Improving Diagnosis in Health Care.](#)
Committee on Diagnostic Error in Health Care, National Academies of Science, Engineering, and Medicine. Washington, DC: National Academies Press; 2015. ISBN: 9780309377690.
The National Academy of Medicine (formerly the Institute of Medicine) launched the patient safety movement with the publication of its report To Err Is Human. The group has now released a report about diagnosis, which they describe as a blind spot in...

[Diagnostic Safety Issue Briefs.](#)
Rockville, MD: Agency for Healthcare Research and Quality; 2020-2024.
Diagnostic safety has increased its footprint in research, publication, and awareness efforts worldwide. This series of occasional publications introduces diagnostic process concerns and efforts to address them. Topics covered include electronic...

[Diagnostic Excellence.](#)
JAMA. Nov 2021-Sep 2022.
Diagnostic excellence achievement is becoming a primary focus in health care. This 20-article series covers diagnosis as it relates to the Institute of Medicine quality domains, clinical challenges and uncertainties, and priorities for...

[Diagnostic Error in Medicine.](#)
Singh H, ed. BMJ Qual Saf. 2013;22(suppl 2):ii1-ii72.
Articles in this special issue cover efforts to reduce diagnostic errors, including patient engagement and cognitive debiasing.

[The importance of cognitive errors in diagnosis and strategies to minimize them.](#)
Croskerry P. Acad Med. 2003;78:775-780.
This article summarizes a series of cognitive error types referred to as "cognitive dispositions to respond" (CDRs). The author reviews previously described CDRs, such as failures in perception and heuristics, overconfidence bias, and anchoring. He...

Measurement

Assessing diagnostic performance.
Cosby K, Yang D, Fineberg HV. NEJM Evid. 2024;3:EVIDra2300232.
Assessing diagnostic performance to reduce diagnostic errors requires a shared understanding of the diagnostic purpose. This article describes the various ways evidence is collected based on the diagnostic purpose: optimal clinical care (e.g.,...

Improving Diagnostic Quality and Safety/Reducing Diagnostic Error: Measurement Considerations. Final Report
Washington DC; National Quality Forum: October 6, 2020.
With input from a stakeholder committee, the National Quality Forum identified recommendations for the practical application of the Diagnostic Process and Outcomes domain of the 2017 Measurement Framework for measuring and improving diagnostic...

Measure Dx: A Resource to Identify, Analyze, and Learn from Diagnostic Safety Events.
Rockville, MD: Agency for Healthcare Research and Quality; July 2022. AHRQ Publication No. 22-0038.
Diagnostic improvement continues to gain focus as a goal in health care. The Measure Dx tool provides teams with guidance and strategies to detect and learn from diagnostic errors in their organizations. It includes a checklist to gauge readiness for...

Diagnostic Error Identification and Definition and Analysis

Changes in rates of autopsy-detected diagnostic errors over time: a systematic review.
Shojania KG, Burton EC, McDonald KM, et al. JAMA. 2003;289:2849-2856.
A systematic review of the literature from 1966 to 2002 was performed to determine the rate at which autopsies detect important, clinically missed diagnoses and the extent to which this rate has changed over time. Fifty-three autopsy series were...

Identifying and analyzing diagnostic paths: a new approach for studying diagnostic practices.
Rao G, Epner P, Bauer V, et al. Diagnosis (Berl). 2017;4:67-72.
This commentary explores diagnosis of common conditions in primary care and highlights approaches for studying the process, such as practice variation and patterning. The authors suggest big data as a method to mine electronic medical records to...

Use of patient complaints to identify diagnosis-related safety concerns: a mixed-method evaluation.
Giardina TD, Korukonda S, Shahid U, et al. BMJ Qual Saf. 2021;30:996-1001.
Patient complaints are increasingly used to identify opportunities for patient safety improvement and to predict avoidable patient harm. In this retrospective study, researchers analyzed patient complaint and medical record data and found that manual...

Patient Engagement

Patient and Family Advisory Council (PFAC) Toolkit for Exploring Diagnostic Quality.
Alpharetta, GA: Society to Improve Diagnosis in Medicine; February 2024.
Patient and Family Advisory Councils (PFACs) can help to operationalize patient engagement in healthcare safety improvement work. This toolkit targets diagnostic excellence and educating PFAC members on the diagnostic process to enable their rich...

Toolkit for Engaging Patients to Improve Diagnostic Safety.
Rockville, MD: Agency for Healthcare Research and Quality; August 2021. AHRQ Publication No. 21-0047-2-EF.
Patient and family engagement is core to effective and safe diagnosis. This new toolkit from the Agency for Healthcare Research and Quality promotes two strategies to promote meaningful engagement and communication with patients to improve diagnostic...

Patient Experience as a Source for Understanding the Origins, Impact, and Remediation of Diagnostic Errors.
Agency for Healthcare Research and Quality, Rockville, MD. July 2023.
Engaging patients to capture their insights after diagnostic error is one of the top patient safety strategies. This pair of issue briefs describes how organizations can use patient experience to inform improvements in diagnosis. Volume 1: Why...

Learning from patients' experiences related to diagnostic errors is essential for progress in patient safety.
Giardina TD, Haskell H, Menon S, et al. Health Aff (Millwood). 2018;37:1821-1827.
Reducing harm related to diagnostic error remains a major focus within patient safety. While significant effort has been made to engage patients in safety, such as encouraging them to report adverse events and errors, little is known about patient...

Technology and Diagnosis

Application of electronic trigger tools to identify targets for improving diagnostic safety.
Murphy DR, Meyer AN, Sittig DF, et al. BMJ Qual Saf. 2019;28:151-159.
Identifying and measuring diagnostic error remains an ongoing challenge. Trigger tools are frequently used in health care to detect adverse events. Researchers describe the Safer Dx Trigger Tools Framework as it applies to the development and...

Variation in electronic test results management and its implications for patient safety: a multisite investigation.
Thomas J, Dahm MR, Li J, et al. J Am Med Inform Assoc. 2020;27:1214–1224.

This qualitative study explored how clinicians ensure optimal management of diagnostic test results, a major patient safety concern. Thematic analyses identified strategies clinicians use to enhance test result management including paper-based manual...

Artificial intelligence in clinical diagnosis: opportunities, challenges, and hype.
Kulkarni PA, Singh H. JAMA. 2023;330:317-318.
Artificial intelligence (AI) is an emerging technology to potentially improve care timeliness and diagnostic accuracy. This commentary provides a grounded assessment of this potential by examining clinician knowledge, physician examination skills,...

Do patients who read visit notes on the patient portal have a higher rate of "loop closure" on diagnostic tests and referrals in primary care? A retrospective cohort study.
Bell SK, Amat MJ, Anderson TS, et al. J Am Med Inform Assoc. 2024;31:622-630.
Prompt completion of diagnostic tests or referrals is paramount to receiving a timely diagnosis and treatment. In this study, completion rates for three common diagnostic tests or referrals (i.e., colonoscopy, concerning skin lesions, cardiac stress...

Value of Teamwork in Diagnosis

Defining the critical role of nurses in diagnostic error prevention: a conceptual framework and a call to action.
Gleason KT, Davidson PM, Tanner EK, et al. Diagnosis (Berl). 2017;4:201-210.
In light of recent expert analysis and improvement work, the concept of treating diagnosis as team activity is gaining acceptance. This review describes a framework for engaging nurses in the diagnostic process to enhance multidisciplinary teamwork...

The new diagnostic team.
Graber ML, Rusz D, Jones ML, et al. Diagnosis (Berl). 2017;4:225-238.
Teamwork has been highlighted as a key component of patient safety that also applies to improving diagnosis. This commentary describes how the team approach to diagnosis is anchored in patient-centered care and suggests that the diagnostic team must...

Towards diagnostic excellence on academic ward teams: building a conceptual model of team dynamics in the diagnostic process.
Choi JJ, Rosen MA, Shapiro MF, et al. Diagnosis (Berl). 2023;10:363-374.
Teamwork is increasingly seen as an important component of diagnostic excellence. Through a systematic review and observations of team dynamics in a hospital medical ward, researchers identified three areas requiring additional research- (1) team...

Safety II in Diagnosis: Learning from What Goes Right

Interventions targeted at reducing diagnostic error: systematic review.

Dave N, Bui S, Morgan C, et al. BMJ Qual Saf. 2022;31:297-307.
This systematic review provides an update to McDonald et al's 2013 review of strategies to reduce diagnostic error. Technique (e.g., changes in equipment) and technology-based (e.g. trigger tools) interventions were the most studied...

Recognizing Excellence in Diagnosis: Recommended Practices for Hospitals.
Washington, DC: Leapfrog Group; July 2024.
Diagnostic safety is beginning to be established as a systemic, rather than solely an individual performance issue. This updated report recommends strategies that support systemic work toward diagnostic excellence and selected implementation...

All Library Content

Patient and Family Advisory Council (PFAC) Toolkit for Exploring Diagnostic Quality.
Alpharetta, GA: Society to Improve Diagnosis in Medicine; February 2024.
Patient and Family Advisory Councils (PFACs) can help to operationalize patient engagement in healthcare safety improvement work. This toolkit targets diagnostic excellence and educating PFAC members on the diagnostic process to enable their rich...

Assessing diagnostic performance.
Cosby K, Yang D, Fineberg HV. NEJM Evid. 2024;3:EVIDra2300232.
Assessing diagnostic performance to reduce diagnostic errors requires a shared understanding of the diagnostic purpose. This article describes the various ways evidence is collected based on the diagnostic purpose: optimal clinical care (e.g.,...

Do patients who read visit notes on the patient portal have a higher rate of "loop closure" on diagnostic tests and referrals in primary care? A retrospective cohort study.
Bell SK, Amat MJ, Anderson TS, et al. J Am Med Inform Assoc. 2024;31:622-630.
Prompt completion of diagnostic tests or referrals is paramount to receiving a timely diagnosis and treatment. In this study, completion rates for three common diagnostic tests or referrals (i.e., colonoscopy, concerning skin lesions, cardiac stress...

Towards diagnostic excellence on academic ward teams: building a conceptual model of team dynamics in the diagnostic process.
Choi JJ, Rosen MA, Shapiro MF, et al. Diagnosis (Berl). 2023;10:363-374.
Teamwork is increasingly seen as an important component of diagnostic excellence. Through a systematic review and observations of team dynamics in a hospital medical ward, researchers identified three areas requiring additional research- (1) team...

Patient Experience as a Source for Understanding the Origins, Impact, and Remediation of Diagnostic Errors.
Agency for Healthcare Research and Quality, Rockville, MD. July 2023.

Engaging patients to capture their insights after diagnostic error is one of the top patient safety strategies. This pair of issue briefs describes how organizations can use patient experience to inform improvements in diagnosis. Volume 1: Why...

Artificial intelligence in clinical diagnosis: opportunities, challenges, and hype.
Kulkarni PA, Singh H. JAMA. 2023;330:317-318.
Artificial intelligence (AI) is an emerging technology to potentially improve care timeliness and diagnostic accuracy. This commentary provides a grounded assessment of this potential by examining clinician knowledge, physician examination skills,...

Recognizing Excellence in Diagnosis: Recommended Practices for Hospitals.
Washington, DC: Leapfrog Group; July 2024.
Diagnostic safety is beginning to be established as a systemic, rather than solely an individual performance issue. This updated report recommends strategies that support systemic work toward diagnostic excellence and selected implementation...

Measure Dx: A Resource to Identify, Analyze, and Learn from Diagnostic Safety Events.
Rockville, MD: Agency for Healthcare Research and Quality; July 2022. AHRQ Publication No. 22-0038.
Diagnostic improvement continues to gain focus as a goal in health care. The Measure Dx tool provides teams with guidance and strategies to detect and learn from diagnostic errors in their organizations. It includes a checklist to gauge readiness for...

Diagnostic Excellence.
JAMA. Nov 2021-Sep 2022.
Diagnostic excellence achievement is becoming a primary focus in health care. This 20-article series covers diagnosis as it relates to the Institute of Medicine quality domains, clinical challenges and uncertainties, and priorities for...

Interventions targeted at reducing diagnostic error: systematic review.
Dave N, Bui S, Morgan C, et al. BMJ Qual Saf. 2022;31:297-307.
This systematic review provides an update to McDonald et al's 2013 review of strategies to reduce diagnostic error. Technique (e.g., changes in equipment) and technology-based (e.g. trigger tools) interventions were the most studied...

Toolkit for Engaging Patients to Improve Diagnostic Safety.
Rockville, MD: Agency for Healthcare Research and Quality; August 2021. AHRQ Publication No. 21-0047-2-EF.
Patient and family engagement is core to effective and safe diagnosis. This new toolkit from the Agency for Healthcare Research and Quality promotes two strategies to promote meaningful engagement and communication with patients to improve diagnostic...

Use of patient complaints to identify diagnosis-related safety concerns: a mixed-method evaluation.

Giardina TD, Korukonda S, Shahid U, et al. BMJ Qual Saf. 2021;30:996-1001.
Patient complaints are increasingly used to identify opportunities for patient safety improvement and to predict avoidable patient harm. In this retrospective study, researchers analyzed patient complaint and medical record data and found that manual...

Diagnostic Safety Issue Briefs.
Rockville, MD: Agency for Healthcare Research and Quality; 2020-2024.
Diagnostic safety has increased its footprint in research, publication, and awareness efforts worldwide. This series of occasional publications introduces diagnostic process concerns and efforts to address them. Topics covered include electronic...

Improving Diagnostic Quality and Safety/Reducing Diagnostic Error: Measurement Considerations. Final Report
Washington DC; National Quality Forum: October 6, 2020.
With input from a stakeholder committee, the National Quality Forum identified recommendations for the practical application of the Diagnostic Process and Outcomes domain of the 2017 Measurement Framework for measuring and improving diagnostic...

Variation in electronic test results management and its implications for patient safety: a multisite investigation.
Thomas J, Dahm MR, Li J, et al. J Am Med Inform Assoc. 2020;27:1214–1224.
This qualitative study explored how clinicians ensure optimal management of diagnostic test results, a major patient safety concern. Thematic analyses identified strategies clinicians use to enhance test result management including paper-based manual...

Learning from patients' experiences related to diagnostic errors is essential for progress in patient safety.
Giardina TD, Haskell H, Menon S, et al. Health Aff (Millwood). 2018;37:1821-1827.
Reducing harm related to diagnostic error remains a major focus within patient safety. While significant effort has been made to engage patients in safety, such as encouraging them to report adverse events and errors, little is known about patient...

Application of electronic trigger tools to identify targets for improving diagnostic safety.
Murphy DR, Meyer AN, Sittig DF, et al. BMJ Qual Saf. 2019;28:151-159.
Identifying and measuring diagnostic error remains an ongoing challenge. Trigger tools are frequently used in health care to detect adverse events. Researchers describe the Safer Dx Trigger Tools Framework as it applies to the development and...

Diagnostic Error in Medicine.
Singh H, ed. BMJ Qual Saf. 2013;22(suppl 2):ii1-ii72.
Articles in this special issue cover efforts to reduce diagnostic errors, including patient engagement and cognitive debiasing.

The new diagnostic team.

Graber ML, Rusz D, Jones ML, et al. Diagnosis (Berl). 2017;4:225-238.
Teamwork has been highlighted as a key component of patient safety that also applies to improving diagnosis. This commentary describes how the team approach to diagnosis is anchored in patient-centered care and suggests that the diagnostic team must...

Defining the critical role of nurses in diagnostic error prevention: a conceptual framework and a call to action.
Gleason KT, Davidson PM, Tanner EK, et al. Diagnosis (Berl). 2017;4:201-210.
In light of recent expert analysis and improvement work, the concept of treating diagnosis as team activity is gaining acceptance. This review describes a framework for engaging nurses in the diagnostic process to enhance multidisciplinary teamwork...

Identifying and analyzing diagnostic paths: a new approach for studying diagnostic practices.
Rao G, Epner P, Bauer V, et al. Diagnosis (Berl). 2017;4:67-72.
This commentary explores diagnosis of common conditions in primary care and highlights approaches for studying the process, such as practice variation and patterning. The authors suggest big data as a method to mine electronic medical records to...

Improving Diagnosis in Health Care.
Committee on Diagnostic Error in Health Care, National Academies of Science, Engineering, and Medicine. Washington, DC: National Academies Press; 2015. ISBN: 9780309377690.
The National Academy of Medicine (formerly the Institute of Medicine) launched the patient safety movement with the publication of its report To Err Is Human. The group has now released a report about diagnosis, which they describe as a blind spot in...

Changes in rates of autopsy-detected diagnostic errors over time: a systematic review.
Shojania KG, Burton EC, McDonald KM, et al. JAMA. 2003;289:2849-2856.
A systematic review of the literature from 1966 to 2002 was performed to determine the rate at which autopsies detect important, clinically missed diagnoses and the extent to which this rate has changed over time. Fifty-three autopsy series were...

The importance of cognitive errors in diagnosis and strategies to minimize them.
Croskerry P. Acad Med. 2003;78:775-780.
This article summarizes a series of cognitive error types referred to as "cognitive dispositions to respond" (CDRs). The author reviews previously described CDRs, such as failures in perception and heuristics, overconfidence bias, and anchoring. He...